Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: V-TAC

Supplier's address: V-TAC Europe Ltd., bul. Rozhen 41, Sofia, BG

Model identifier: 23026

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	+ve and -ve (be- cause strips are DC voltage and have black and red wires)		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers

Product parameters Parameter Value Parameter Value **General product parameters:** 8 F Energy consumption in on-Energy efficiency mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), in-800 in Correlated colour 6 5 0 0 dicating if it refers to the flux in Sphere (360°) temperature, a sphere (360°), in a wide cone rounded to the near-(120°) or in a narrow cone (90°) est 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 8,0 Standby power (P_{sb}), 0,00 On-mode power (P_{on}), exexpressed in W and pressed in W rounded to the second decimal Networked standby power Colour rendering in-80 (P_{net}) for CLS, expressed in W dex, rounded to the nearest integer, or and rounded to the second decthe range of CRI-valimal ues that can be set

· · · · · · · · · · · · · · · · · · ·				
Outer dimen-	Height	1 000	Spectral power dis-	See image
sions without	Width	3	tribution in the	in last page
separate con- trol gear, light- ing control parts and non- lighting con- trol parts, if any (millime- tre)	Depth	2	range 250 nm to 800 nm, at full-load	
Claim of equivalent power ^(a)		-	If yes, equivalent power (W)	-
			Chromaticity coordi-	0,312
			nates (x and y)	0,337
Parameters for L	ED and OLED lig	ht sources:		
R9 colour rendering index value		4	Survival factor	1,00
the lumen maintenance factor		0,96		
(2)			· · · · · · · · · · · · · · · · · · ·	

(a)'-' : not applicable;

(b)'-' : not applicable;

